

	Hits	Search Text
1	79848	(framework model) with (restrict\$3 limit\$5 filter\$3 secur\$3)
2	1757	(hierarchy directory topology) near3 map\$4
3	147299	(type class\$7 category) with (target destination client user subscriber custommer remote)
4	66	(end adj end point adj point endpoint adj endpoint) and S6 and S7 and S8
5	62	S9 and (accord\$4 associat\$2 based correspon\$4) with (route path)
6	29	(topology) near3 map\$4 and S10
7	5849	(type class\$7 category) near (service perform\$4 action activity function) with (target destination client user subscriber custommer remote)
8	29	(topology) near3 map\$4 and S10
9	6	S11 and S12
10	66	(end adj end point adj point endpoint adj endpoint) and S6 and S7 and S8
11	29	S11 and S15
12	68	(end adj end point adj point endpoint adj endpoint ppp) and S6 and S7 and S8
13	85	(end adj3 end point adj3 point endpoint adj3 endpoint ppp) and S6 and S7 and S8
14	3236	(hierarchy directory topology) with map\$4
15	105	(end adj3 end point adj3 point endpoint adj3 endpoint ppp) and S6 and S19 and S8
16	20	S20 not S18
17	69698	(framework) same (restrict\$3 limit\$5 filter\$3 secur\$3 privat\$3 intranet vlan)
18	843	(topology) with map\$4
19	26985	(type class\$7 category) with (service perform\$4 action activity function) with (target destination client user subscriber custommer remote)

	Hits	Search Text
20	13	(end adj3 end point adj3 point endpoint adj3 endpoint ppp) and S22 and S23 and S24
21	5754	(framework) same (restrict\$3 limit\$5 filter\$3 secur\$3 privat\$3 intranet vlan).ab.
22	4	S26 and (virtual logical channel) near3 (path route)
23	1	(framework).ab. and S23 and (select\$4 identif\$4 detect\$4) with (rout\$4 path link connect\$3 channel) with (new add\$6 alternat\$3 substitut\$5)
24	4	(framework).ab. and S23 and (select\$4 identif\$4 detect\$4) with (rout\$4 path link connect\$3 channel)
25	14	(manag\$5).ab. and topology with mapping and select\$4 with route and restrict\$3
26	15	(manag\$5).ab. and topology with mapping and select\$4 with route and (secur\$3 restrict\$3) same (level type status condition)
27	19	(manag\$5).ab. and topology with mapping and select\$4 with (path route routing) and (secur\$3 restrict\$3) same (level type status condition)
28	60	topology with mapping and select\$4 with (path route routing) and (secur\$3 restrict\$3) same (level type status condition)
29	4	topology with mapping and select\$4 with ((logical virtual) adj (path route routing) vpi vci)and (secur\$3 restrict\$3) same (level type status condition)
30	14	topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3) with ((logical virtual) adj (path route routing) vpi vci) and (secur\$3 restrict\$3) same (level type status condition)

	Hits	Search Text
31	15	topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3) with ((logical virtual) adj (path route routing) vpi vci) and (vlan virtual adj network vpn intranet (secur\$3 restrict\$3) same (level type status condition))
32	18	topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3) with ((logical virtual) adj3 (path route routing) vpi vci) and (vlan virtual adj network vpn intranet (secur\$3 restrict\$3) same (level type status condition))
33	150	topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3 discover\$3 enabl\$3) with (path route routing channel link connection vpi vci) and (vlan virtual adj network vpn intranet (secur\$3 restrict\$3) same (level type status condition)same (target desitnation user client end endpoint subscriber remote))